

Powercap® Active™ 8hr Multi Plug - Black

Noir / CAE601-941-100



DESCRIPTION

Powercap® Active™ is a lightweight powered air purifying respirator with EN 812 bump cap protection. Firm-fitting and ergonomically designed, the Powercap® Active™ is designed to protect the user from dust and other airborne particulate pollutants to EN 12941 TH1P level.

OPTIONS
















Noir (CAE601-941-100)

NORMES

EN 12941 • EN 812



INFORMATIONS TECHNIQUES

	Peak 7cm		Impact Resistance 12 Joules x 4
	Side Impact Resistance 12 Joules		Maximum Temperature -40°C
	Minimum Temperature +5°C		HDPE Shell Oui
	Recyclable Calotte:		Slip Ratchet Glissière
	Ventilation Oui		Reflective Option Non
	Classification TH1 (Turbo hood)		Filter Type P (Protection contre les aérosols solides et liquides)
	Usage R (Réutilisable)		Exhalation Valve Non
	Minimum Filtration Efficiency 90%		Maximum Total Inward Leakage (TIL) 10% When fitted to PowerCap® Active™ respirator
	Nominal Protection Factor 10		UK Assigned Protection Factor 10
	Mask Design Turbo hood Powered Air Purifying Respirator (Loose-fitting)		Face Seal Type Hypoallergenic material
	Latex free Oui		Metal Free Non
	Filter Shelf Life 5 ans		Filter Material Pleated media
	Manufacturer's Trademark JSP Dagger		BSI Kitemark Oui
	Product Weight 659g		Noise Level 68.2dB
	Battery Type Rechargeable Lithium-ion		4000mAh, 3.7V, 14.8Wh
	Micro USB 5VDC, 1.0A		4.2VDC, 3.4A
	8+ hours		5 hours approx.

CARACTÉRISTIQUES



Powered Air

Protection to EN 12941 TH1P provides a cooling, comfortable supply of filtered air at 160 litres per minute, eliminating breathing resistance and visor misting.



Casquette anti-heurts

The cap uses JSP HardCap™ A1+ bump cap technology, exceeding the EN 812 standard. The cap cover is easily removable, wipeable and machine washable.



JSP Limited, Worsham Mill, Minster Lovell, Oxford OX29 0TA, England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jspsafety.com / Web: www.jspsafety.com

Do Not Publish without written permission from JSP Limited. Contact copyright@jspsafety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.

Page 2 of 3 / Issued 27 Feb 2025 / Copyright 2018 - 2025. JSP Limited. All Rights Reserved.





Micro USB Charging

PowerCap® Active™ is supplied with a micro USB cable for recharging in as little as 5 hours. The PowerBox™1 battery pack features a built-in fuel gauge, making it easy to check charge level.

GAMME



VIDÉOS

www.jspgo.com/UI-FH/UI_PowercapActive/UI_PowercapActive

TÉLÉCHARGEMENTS

 [Pack d'images \(ZIP\)](#)

 [doc-powercap_active_ip.pdf \(PDF\)](#)



JSP Limited. Worsham Mill. Minster Lovell. Oxford OX29 0TA. England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jspafety.com / Web: www.jspafety.com

Do Not Publish without written permission from JSP Limited. Contact copyright@jspafety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.

Page 3 of 3 / Issued 27 Feb 2025 / Copyright 2018 - 2025. JSP Limited. All Rights Reserved.

